

FIG.1






FIG.2



**FIG.3**



**FIG.4**







FIG.5




**FIG.6A**



**FIG.6B**




**FIG.6C**




**FIG.7**


**FIG.8A**



**FIG.8B**




**FIG.8C**




**FIG.8D**




**FIG.8E**



**FIG.8F**



**FIG.8G**



**FIG.8H**




a	b	a	a
a	b	a	b
a	b	a	a




$a^2$	$ab$	$a^2$
$ab$	$b^2$	$ab$
$a^2$	$ab$	$a^2$

**FIG.9**




**FIG.10**

**FIG.11A**



**FIG.11B**



**FIG.11C**



**FIG.11D**



**FIG.11E**






FIG 11E



**FIG.11G**



**FIG.11H**



DEGREE OF BLOCK CODING DIFFICULTY	FILTER COEFFICIENT $\alpha$				
	Tab.15	Tab.14	...	Tab.1	Tab.0
15	15/16	15/16		6/16	0/16
14	15/16	15/16		5/16	0/16
13	14/16	14/16		5/16	0/16
12	14/16	13/16		4/16	0/16
11	13/16	13/16		3/16	0/16
10	13/16	12/16		2/16	0/16
...					
2	3/16	2/16		0/16	0/16
1	2/16	1/16		0/16	0/16
0	0/16	0/16		0/16	0/16

**FIG.12**

DEGREE OF FIELD CODING DIFFICULTY	TABLE NUMBER (Table No.)				
	10Mbps	8Mbps	...	4Mbps	2Mbps
15	0	1		12	15
14	0	1		11	15
13	0	1		11	14
12	0	1		11	13
11	0	1		9	12
10	0	0		8	11
...					
2	0	0		1	3
1	0	0		0	2
0	0	0		0	0

**FIG.13**




FIG.14

FIELD NUMBER WITH DEGREE OF CODING DIFFICULTY K <sub>p</sub> F <sub>i</sub>	n	n+1	n+2	...	n+16	n+17	n+18	n+19	n+20	n+21	n+22	n+23	n+24	n+25	n+26	n+27	n+28	n+29	n+30	n+31	
STILL IMAGE																					
ATTENUATED VALUE d OF DEGREE OF CODING DIFFICULTY	0	0	0	...	2	4	6	8	10	10	10	10	10	10	10	8	6	4	2	0	0

FIG.15




FIG.16